

Alta de Cliente AAA

This guide walks you through the process of adding a new AAA client in the GATE portal (BNG, WAG, etc.).

Step 1: Access AAA Services

From the left navigation menu, locate and click on "**AAA Services**".


GATE


admin portal dev

 [Dashboard](#)

APPLICATIONS

 [Users](#) >

 [Portals](#) >

 [Hotspots](#) >

 [Advertising](#) >

 [User devices](#) >

 [AAA services](#) >

 [Payments](#) >


 [SONDA](#) >

 [Files](#)


 [Links](#)

 [Organization](#) >

 [Settings](#) >

 [Tools](#) >

 [Protocols](#) >

 [User log](#)

GATE


admin portal dev

 [Dashboard](#)

APPLICATIONS


 [Users](#) >

 [Portals](#) >

 [Hotspots](#) >

 [Advertising](#) >

 [User devices](#) >


 [AAA services](#) >


 [Payments](#) >


 [SONDA](#) >

 [Files](#)

 [Links](#)

 [Organization](#) >


 [Settings](#) >

 [Tools](#) >

 [Protocols](#) >


 [User log](#)


GATE
admin portal dev

 [Dashboard](#)

APPLICATIONS

 [Users](#) >

 [Portals](#) >

 [Hotspots](#) >

 [Advertising](#) >

 [User devices](#) >

 [AAA services](#) >

 [Payments](#) >


 [SONDA](#) >

 [Files](#)


 [Links](#)


 [Organization](#) >

 [Settings](#) >

 [Tools](#) >

 [Protocols](#) >

 [User log](#)




Step 2: Navigate to Clients

When the AAA Services menu expands, select "**Clients**" from the dropdown options.


GATE
admin portal dev

 Dashboard

APPLICATIONS

 Users >

 Portals >

 Hotspots >

 Advertising >

 User devices >

 AAA services ▾

- Profiles

- **Clients**

- Dictionaries

- Logs

- Accounting

- Realms

- Reports

 Payments >

 SONDA >

 Files

 Links

 Organization >

 Settings >

 Tools >


GATE
admin portal dev

 Dashboard

APPLICATIONS

 Users >

 Portals >

 Hotspots >

 Advertising >

 User devices >

 AAA services ▾

- Profiles

- **Clients**

- Dictionaries

- Logs

- Accounting

- Realms

- Reports

 Payments >

 SONDA >

 Files

 Links

 Organization >


 Settings >

 Tools >


GATE
admin portal dev

 Dashboard

APPLICATIONS

 Users >

 Portals >

 Hotspots >

 Advertising >

 User devices >

 AAA services ▾

- Profiles

- **Clients**

- Dictionaries

- Logs

- Accounting

- Realms

- Reports

 Payments >

 SONDA >


 Files

 Links

 Organization >

 Settings >

 Tools >



Step 3: Add New Client

On the main screen, click the "+Add" button located in the upper section.

The screenshot shows the Zequenze GATE admin portal interface. The main content area is titled "Select client to change" and features a search bar, "Import", "Export", and "+Add" buttons. A red arrow points to the "+Add" button. Below the buttons is a "Location map" section with a map and a "Style: emerald-v8" dropdown. The main part of the page is a table listing clients with columns for "Short name", "Is active", "Hostname, IP or subnet", "NAS identifier", "Is public", "New sessions", "Organization", and "Description".

Short name	Is active	Hostname, IP or subnet	NAS identifier	Is public	New sessions	Organization	Description
<input type="checkbox"/> 7750-f1	...	201.147.124.128		●		Nokia México	7750 proyecto Formula 1 México
<input type="checkbox"/> 7750-peru-1	...	200.108.99.139		●		Nokia Perú	7750 proyecto Claro Perú - IP 1
<input type="checkbox"/> 7750-peru-2	...	200.108.99.135		●		Nokia Perú	7750 proyecto Claro Perú - IP 2
<input type="checkbox"/> 7750-tigo-colombia	...			●	30 minutes	Root	-
<input type="checkbox"/> AC6608-hota	...	200.77.50.98		●	30 minutes	Zequenze	-
<input type="checkbox"/> aironet-metrocarrier	...		aironet-metrocarrier	●	30 minutes	Metrocarrier	-
<input type="checkbox"/> Anphora_Controller	...	186.159.152.33		●	30 minutes	Anphora	-
<input type="checkbox"/> ap0001-dev	...		ap0001-dev	●	30 minutes	ESPH	-

This screenshot is identical to the one above, showing the Zequenze GATE admin portal interface. The main content area is titled "Select client to change" and features a search bar, "Import", "Export", and "+Add" buttons. A red arrow points to the "+Add" button. Below the buttons is a "Location map" section with a map and a "Style: emerald-v8" dropdown. The main part of the page is a table listing clients with columns for "Short name", "Is active", "Hostname, IP or subnet", "NAS identifier", "Is public", "New sessions", "Organization", and "Description".

Short name	Is active	Hostname, IP or subnet	NAS identifier	Is public	New sessions	Organization	Description
<input type="checkbox"/> 7750-f1	...	201.147.124.128		●		Nokia México	7750 proyecto Formula 1 México
<input type="checkbox"/> 7750-peru-1	...	200.108.99.139		●		Nokia Perú	7750 proyecto Claro Perú - IP 1
<input type="checkbox"/> 7750-peru-2	...	200.108.99.135		●		Nokia Perú	7750 proyecto Claro Perú - IP 2
<input type="checkbox"/> 7750-tigo-colombia	...			●	30 minutes	Root	-
<input type="checkbox"/> AC6608-hota	...	200.77.50.98		●	30 minutes	Zequenze	-
<input type="checkbox"/> aironet-metrocarrier	...		aironet-metrocarrier	●	30 minutes	Metrocarrier	-
<input type="checkbox"/> Anphora_Controller	...	186.159.152.33		●	30 minutes	Anphora	-
<input type="checkbox"/> ap0001-dev	...		ap0001-dev	●	30 minutes	ESPH	-

Home > AAA server > Clients

Select client to change

Search: []

Import Export + Add

Location map

Short name	Is active	Hostname, IP or subnet	NAS identifier	Is public	New sessions	Organization	Description
7750-f1	●	201.147.124.128		●		Nokia México	7750 proyecto Formula 1 México
7750-peru-1	●	200.108.99.139		●		Nokia Perú	7750 proyecto Claro Perú - IP 1
7750-peru-2	●	200.108.99.135		●		Nokia Perú	7750 proyecto Claro Perú - IP 2
7750-tigo-colombia	●			●	30 minutes	Root	-
AC6608-ho1a	●	200.77.50.98		●	30 minutes	Zequence	-
aironet-metrocarrier	●		aironet-metrocarrier	●	30 minutes	Metrocarrier	-
Anphora_Controller	●	186.159.152.33		●	30 minutes	Anphora	-
ap0001-dev	●		ap0001-dev	●	30 minutes	ESPH	-

Filter: Proceed

Active: All

Organization: Click for options

Include sub-organizations

Home > AAA server > Clients

Select client to change

Search: []

Import Export + Add

Location map

Short name	Is active	Hostname, IP or subnet	NAS identifier	Is public	New sessions	Organization	Description
7750-f1	●	201.147.124.128		●		Nokia México	7750 proyecto Formula 1 México
7750-peru-1	●	200.108.99.139		●		Nokia Perú	7750 proyecto Claro Perú - IP 1
7750-peru-2	●	200.108.99.135		●		Nokia Perú	7750 proyecto Claro Perú - IP 2
7750-tigo-colombia	●			●	30 minutes	Root	-
AC6608-ho1a	●	200.77.50.98		●	30 minutes	Zequence	-
aironet-metrocarrier	●		aironet-metrocarrier	●	30 minutes	Metrocarrier	-
Anphora_Controller	●	186.159.152.33		●	30 minutes	Anphora	-
ap0001-dev	●		ap0001-dev	●	30 minutes	ESPH	-

Filter: Proceed

Active: All

Organization: Click for options

Include sub-organizations

Step 4: Configure Client Information

Complete the client connection information using the form fields shown below:

zequenze GATE admin portal dev

ipena@zequenze.com org: Root

Home > AAA server > Clients

ADD CLIENT

General settings

1 Short name: BNG1_Cisco_MEX3241

Is active

Default location: Click for options

2 Organization: izzt FTTH

Is public

3 Hostname, IP or subnet: 100.67.67.30

The nasname can be specified as a hostname/FQDN, an IP address or subnet address in CIDR notation (eg. 100.1.0/24).

4 NAS identifier:

Set the NAS identifier if your client have a dynamic IP and your prefer to authenticate using the NAS-id and secret. You need to leave the "Hostname, IP or subnet" field empty bu please note this method is insecure and should be avoided when possible.

5 Secret:

6 Description:

Advanced options

Save Close Save and close Save and add another

Random secret 20 characters Go

2023 © zequenze Terms of service Privacy policy Changelog

GATE admin portal dev v1.2.7-dev

zequenze GATE admin portal dev

ipena@zequenze.com org: Root

Home > AAA server > Clients

ADD CLIENT

General settings

1 Short name: BNG1_Cisco_MEX3241

Is active

Default location: Click for options

2 Organization: izzt FTTH

Is public

3 Hostname, IP or subnet: 100.67.67.30

The nasname can be specified as a hostname/FQDN, an IP address or subnet address in CIDR notation (eg. 100.1.0/24).

4 NAS identifier:

Set the NAS identifier if your client have a dynamic IP and your prefer to authenticate using the NAS-id and secret. You need to leave the "Hostname, IP or subnet" field empty bu please note this method is insecure and should be avoided when possible.

5 Secret:

6 Description:



Advanced options

Save Close Save and close Save and add another

Random secret 20 characters Go

2023 © zequenze Terms of service Privacy policy Changelog

GATE admin portal dev v1.2.7-dev



Field Descriptions

ID	Field	Description
1	Short name	Descriptive field to quickly identify the client.
2	Organization	Select the organization to assign the equipment to (BNG, WAG, etc.).
3	Hostname, IP or subnet	The IP address that will be used to establish the connection to GATE.

ID	Field	Description
4	NAS Identifier	<i>(Optional)</i> Identifier for the configured client.
5	Secret	Key used to decode the communication between both systems.
6	Description	<i>(Optional)</i> Additional information to help identify the client.

Required vs Optional Fields

- **Required fields:** Short name, Organization, Hostname/IP/subnet, Secret
- **Optional fields:** NAS Identifier, Description

“ **Note:** Ensure all required fields are completed before saving the client configuration.

Revision #8

Created 2026-02-12 19:14:42 UTC by ipena@zequenze.com

Updated 2026-03-05 22:28:03 UTC by ipena@zequenze.com