

Alta usuario o dispositivo


Procedimiento paso a paso


1. Acceder al menú de usuarios


Seleccione la opción "**Users**" desde el menú lateral izquierdo.

 Dashboard

APPLICATIONS

 Users >

 Portals >

 Hotspots >

 Advertising >

 User devices >

 AAA services >

 Payments >


 SONDA >

 Files

 Links

 Organization >

 Settings >

 Tools >


 Protocols >


 User log

GATE
admin portal dev

 Dashboard

APPLICATIONS

 Users >

 Portals >

 Hotspots >

 Advertising >

 User devices >


 AAA services >

 Payments >


 SONDA >

 Files

 Links

 Organization >

 Settings >

 Tools >


 Protocols >


 User log

GATE
admin portal dev

 Dashboard

APPLICATIONS

 Users >

 Portals >

 Hotspots >

 Advertising >

 User devices >


 AAA services >

 Payments >


 SONDA >

 Files


 Links


 Organization >

 Settings >

 Tools >

 Protocols >

 User log



2. Navegar a la sección de usuarios

Al abrir el menú, seleccione nuevamente "**Users**".

GATE

admin portal dev

 Dashboard

APPLICATIONS

 Users 

- Users
- Reports
- Active sessions
- IP addresses
- MAC addresses
- User agents
- HTTP referers
- OTP
- Permissions
- Associations
- Tokens

 Portals >

 Hotspots >

 Advertising >

 User devices >

 AAA services 

 Payments >

 SONDA >

 Files

GATE

admin portal dev

 Dashboard

APPLICATIONS

 Users 

- Users

- Reports

- Active sessions

- IP addresses

- MAC addresses

- User agents

- HTTP referers



- OTP

- Permissions

- Associations

- Tokens

 Portals 

 Hotspots 

 Advertising 

 User devices 

 AAA services 

 Payments 

 SONDA 

 Files

GATE

admin portal dev

 Dashboard

APPLICATIONS

 Users 

- Users

- Reports

- Active sessions

- IP addresses

- MAC addresses

- User agents

- HTTP referers

- OTP

- Permissions

- Associations

- Tokens

 Portals 

 Hotspots 

 Advertising 


 User devices 

 AAA services 

 Payments 

 SONDA 

 Files



3. Crear nuevo usuario o dispositivo

Dentro de esta sección podrá crear el usuario o dar de alta el dispositivo que requiere autenticación.

ADD USER Home > User database > Users

First, enter a username and password. Then, you'll be able to edit more user options.

1 Username:
150 characters or fewer. Letters, digits and @/./+/?/!/_ only.

Password:

Password confirmation:
Enter the same password as before, for verification.

Parent user: ✕ +

Active
Designates whether this user should be treated as active.

First name:

Last name:

Email:

Expiration:
[Clear](#)
Set user expiration date. If this parameter is not configured the user will never expire.

2 Organization: ✕ +

Options ⌵

AAA user profiles ⌵

Profile ⌵ Delete?

3 ✕ + Remove

[+ Add](#)

[Save](#) ✕ Close [Save and close](#) [Save and add another](#)

Random password * 20 characters * [Go](#)

ADD USER Home > User database > Users

First, enter a username and password. Then, you'll be able to edit more user options.

1 Username:
150 characters or fewer. Letters, digits and @/./+/?/!/_ only.

Password:

Password confirmation:
Enter the same password as before, for verification.

Parent user: ✕ +

Active
Designates whether this user should be treated as active.

First name:

Last name:

Email:

Expiration:
[Clear](#)
Set user expiration date. If this parameter is not configured the user will never expire.

2 Organization: ✕ +

Options ⌵

AAA user profiles ⌵

Profile ⌵ Delete?

3 ✕ + Remove

[+ Add](#)

[Save](#) ✕ Close [Save and close](#) [Save and add another](#)

Random password * 20 characters * [Go](#)

ADD USER Home > User database > Users

First, enter a username and password. Then, you'll be able to edit more user options.

1 Username:
150 characters or fewer. Letters, digits and @/./+/?/!/_ only.

Password:

Password confirmation:
Enter the same password as before, for verification.

Parent user:

Active
Designates whether this user should be treated as active.

First name:

Last name:

Email:

Expiration:
Set user expiration date. If this parameter is not configured the user will never expire.

2 Organization:

Options

AAA user profiles

Profile Delete?

3 Remove

Add

Save Close Save and close Save and add another

Random password * 20 characters * Go

ADD USER Home > User database > Users

First, enter a username and password. Then, you'll be able to edit more user options.

1 Username:
150 characters or fewer. Letters, digits and @/./+/?/!/_ only.

Password:

Password confirmation:
Enter the same password as before, for verification.

Parent user:

Active
Designates whether this user should be treated as active.

First name:

Last name:

Email:

Expiration:
Set user expiration date. If this parameter is not configured the user will never expire.

2 Organization:

Options

AAA user profiles

Profile Delete?

3 Remove

Add

Save Close Save and close Save and add another

Random password * 20 characters * Go

Campos de configuración

La siguiente tabla describe cada campo que debe completar durante el proceso de alta:

ID	Campo	Descripción
1	Username	En este campo se da de alta el nombre de usuario. Ejemplo: <code>1234321-ZTEGC8A1234 1/02/02</code>
2	Organization	La organización debe ser la misma que se dio de alta en el BNG o WAG para que haga match en la autenticación del dispositivo
3	Profile	Seleccione el perfil de velocidad que se asignará al usuario cuando se autentique. Este perfil debe estar previamente creado en el BNG o WAG

Integración con API

Para realizar el alta de usuarios mediante API, consulte la documentación técnica: [API de creación de usuarios](#)

Revision #8

Created 2026-02-12 19:15:05 UTC by ipena@zequenze.com

Updated 2026-03-05 22:28:03 UTC by ipena@zequenze.com